

# INDEX MAPS. T. 25N, R. 10E. 2<sup>nd</sup> Mer.

Meaders 24

6	23	5	17	4	12	3	8	2	3	1
23		23		16		12		8		3
7	20	8	16	9	12	10	7	11	3	12
22		21		15		11		7		2
18	21	17	15	16	11	15	6	14	2	13
20		20		15		10		6		1
19	20	20	14	21	10	22	5	23	1	24
19		19		14		10		5		1
30	18	29	14	28	9	27	5	26		25
18		18		13		9		4		
31	17	32	13	33	8	34	4	35		36

Beginning in Volume 20

# T. 26N, R. 10E. 2<sup>nd</sup> Mer.

Meaders 61

	36		35		35		35		34		34	
37	6	60	5	54	4	50	3	46	2	41	1	34
	60		60		53		49		45	x	41	
37	7	59	8	53	9	49	10	45	11	41	12	33
	59		59		53		49		44		40	
37	18	58	17	52	16	48	15	44	14	40	13	33
	58		57		52		48		44		39	
36	19	57	20	52	21	47	22	43	23	39	24	33
	56		56		51		47		43		39	
36	30	55	29	51	28	47	27	43	26	38	25	33
	55		54		50		46		42		38	
36	31	54	32	50	33	46	34	42	35	38	36	32
	32		32		31		31		31		31	

The figures on the lines refer to the page.

Township 26 North, Range 10 East 2<sup>nd</sup> Mer.

South Boundary  
Var. 6°30' E.

West on S. Side of Sec. 36.

40.00 Set gr. sec. post from which  
an Ash 10 in. dia. bears S 51 E 7 1/2 th. dist. X  
a Do 6 " " " N 33 W 7 " "

80.00 Set post cor. to sec. 35 & 36 from which  
an Elm 10 in. dia. bears S 68 E 18 th. dist. X  
a H. Oak 8 " " " S 85 W 16 " "  
Net Land, Timber Elm. Maple &c.

West on S. Side of Sec. 35.

40.00 Set gr. sec. post from which  
a Beech 18 in. dia. bears N 35 E 13 1/2 th. dist. X  
a Do 10 " " " S 53 E 9 " "

80.00 Set post cor. to sec. 34 & 35 from which  
a Beech 12 in. dia. bears N 6 W 25 th. dist. X  
a Do 12 " " " S 60 E 11 " "  
Land rich. Timber Beech. Sugar. Ash &c. Spruce.

West on S. Side of Sec. 34.

40.00 Set gr. sec. post from which  
a Beech 18 in. dia. bears N 34 E 28 th. dist. X  
a Do 18 " " " S 72 W 20 " "

73.00 a Creek 25 th. wide course S. W.

80.00 Set post cor. to sec. 33 & 34 from which  
a Beech 18 in. dia. bears S 23 E 10 th. dist. X  
a Do 24 " " " N 78 W 14 " "  
Land, Timber &c. same as on last line.

West on S. Side of Sec. 33.

40.00 Set gr. sec. post from which  
an Elm 24 in. dia. bears N 60 E 10 th. dist. X  
a Hickory 10 " " " S 53 W 5 " "

55.50 a Creek 50 th. wide course N. E. (?)

60.00 Set post on E. bank of Salamaw River from which



# T. 25 N. - R. 10 E. 2<sup>nd</sup> Mer. Indiana

an Elm 6 in. dia. bears N 37 W 10 th. dist. X  
 a Hornbeam 10 " " " S 16 W 23 " "  
 63.81 Over Rim & set post on W. bank from which  
 a Buckeye 11 in. dia. bears N 80 W 25 th. dist. X  
 a Hackberry 9 " " " N 37 E 15 " "  
 80.00 Set post ca. to sect. 32 & 33 from which  
 a Beech 24 in. dia. bears S 86 W 34 th. dist. X  
 an Ironwood 8 " " " S 81 E 9 " "  
 Sand, Timber &c. same as on the last line.

West on N. side of sec. 32.  
 40.00 Set q. sec. post from which  
 a Beech 12 in. dia. bears N 32 W 38 th. dist. X  
 a Do 24 " " " S 61 E 33 "  
 40.25 at Branch 15 th. wide course N. W.  
 47.00 a Creek 75 " " " N. E.  
 80.00 Set post ca. to sect. 31 & 32 from which  
 a W. Oak 30 in. dia. bears S 54 E 20 th. dist. X  
 an Oak 8 " " " S 62 W 10 " "  
 Sand, Timber &c. same as on the last line.

West on N. side of sec. 31.  
 40.00 Set q. sec. post from which  
 a Beech 12 in. dia. bears N 67 W 7 th. dist. X  
 a Buckeye 12 " " " N 76 E 27 "  
 76.50 Intersect Range line at post ca. to Towns  
 25 & 26 North. Ranges 9 & 10 East.  
 a Beech 12 in. dia. bears S 43 E 19 th. dist. X  
 a Do 36 " " " West 25 "  
 Sand, Timber &c. same as on the last line.  
 March 31<sup>st</sup> 1830.

## East Boundary

Var. 6<sup>th</sup> 00' E.

North on E. side of sec. 36.  
 40.00 Set q. sec. post from which

33

T. D. N. - T. C. 10 E. 2<sup>d</sup> Mer. Indiana

a Beech 12 in. dia. bears S 71° 35' W. dist. 8  
 an Oak 14 " " " N 97° 25' " "  
 80.00 Set post cor. to sec. 25 & 36 from which  
 a Beech 8 in. dia. bears N 16° E 7 W. dist. 8  
 a Do 12 " " " N 27° 45' " "  
 Over Pony land. Timber Oak. Elm. Beech &c.

---

North on E. side of sec. 25.

40.00 Set q. sec. post from which  
 an Oak 8 in. dia. bears - 23 E 15 W. dist. 8  
 a Do 10 " " " N 68° 11' 2 " "  
 80.00 Set post cor. to sec. 24 & 25 from which  
 a Maple 12 in. dia. bears S 49° 11' 17 W. dist. 8  
 a Do 16 " " " N 34° E 8 " "  
 Land & Timber same as on the last line

---

North on E. side of sec. 24.

40.00 Set q. sec. post from which  
 a Beech 10 in. dia. bears N 60° E 8 W. dist. 8  
 an Oak 48 " " " N 3 E 23 " "  
 80.00 Set post cor. to sec. 13 & 24 from which  
 a Beech 12 in. dia. bears N 34° E 22 W. dist. 8  
 a Do 14 " " " N 7 E 28 " "  
 Over good farming land. Timber Beech.  
 Sugar Oak &c. Ling. & Spruce

---

North on E. side of sec. 13.

40.00 Set q. sec. post from which  
 a Gum 18 in. dia. bears S 51° E 22 W. dist. 8  
 a Beech 8 " " " N 79° 11' 30 " "  
 80.00 Set post cor. to sec. 12 & 13 from which  
 a Beech 10 in. dia. bears S 43° 11' 21 W. dist. 8  
 a Do 14 " " " S 74° E 14 " "  
 Land. Timber &c. Same as on the last line.

---

North on E. side of sec. 12.

# T. 26 N. - R. 10 E. 2<sup>nd</sup> Mer. Indiana.

32.00 a Creek 40 W. wide Corn N.E.  
 40.00 Set g. sec. post from which  
 a Beech 12 in. dia. bears S 24 W 18 W. dist. 8  
 a Do 16 " " " N 18 E 17 " "  
 80.00 Set post cor. to Sect. 1 & 12 from which  
 an Elm 16 in. dia. bears N 31 W 6 W. dist. 8  
 an Oak 18 " " " S 8 E 14 " "  
 Land. Timber &c. same as on the last line.

North on E. side of sec. 1.

40.00 Set g. sec. post from which  
 a Beech 13 in. dia. bears S 6 E 21 W. dist. 8  
 an Oak 17 " " " N 27 W 10 " "  
 79.00 a Creek 20 W. wide Corn N.E.  
 80.62 Set post cor. to Towns 26 & 27 North. Range  
 10 & 11 East from which  
 a — 14 in. dia. bears N 9 W 33 W. dist. 8  
 a Do 18 " " " S 15 W 52 " "  
 Land. Timber &c. same as on the last line.

## North Boundary.

Var. 6<sup>th</sup> 80' E.  
 West on S. side of Sec. 36 T. 27 N. R. 10 E.  
 40.00 Set g. sec. post from which  
 a Hickory 24 in. dia. bears S 85 W 10 W. dist. 8  
 an Elm 20 " " " S 67 E 30 " "  
 55.36 a Beech 24 " "  
 80.00 Set post cor. to Sect. 35 & 36 from which  
 a Beech 15 in. dia. bears N 72 W 32 W. dist. 8  
 a Do 18 " " " S 46 E 24 " "  
 Land rich. Timber Beech. Ash &c

West on S. side of sec. 35 T. 27 N. R. 10 E.

40.00 Set g. sec. post from which  
 a W. Oak 8 in. dia. bears N 50 W 17 W. dist. 8  
 an Elm 24 " " " N 45 E 12 " "

35

T. 26 N. - R. 10 E. 2<sup>nd</sup> Mer. Indiana.

51.24 a B. Oak 18 in. dia.

80.00 Set post cor. to Secs. 34 & 35 from which  
a Maple 13 in. dia. bears N 25 W 9 W. dist. 8  
an Elm 8 " " " N 80 E 32 " "  
Met Land. Timber Maple. Ash &c.

West on S. Side of sec. 34 T. 27 N. R. 10 E.

30.20 a Hickory 20 in. dia.

40.00 Set gr. sec. post from which  
an Oak 12 in. dia. bears N 72 W 15 W. dist. 8  
a Hickory 20 " " " S 60 E 14 " "

80.00 Set post cor. to Secs. 33 & 34 from which  
an Elm 10 in. dia. bears N 38 W 18 W. dist. 8  
a Beech 16 " " " N 58 E 17 " "  
Rich land. Timber Beech. Oak &c.

West on S. Side of sec. 33 T. 27 N. R. 10 E

32.60 a Hickory 24 in. dia.

40.00 Set gr. sec. post from which  
a Sugar 22 in. dia. bears S 74 W 27 W. dist. 8  
a Beech 15 " " " S 69 E 32 " "

70.78 a Lym 30 " "

80.00 Set post cor. to Secs. 32 & 33 from which  
a Beech 18 in. dia. bears S 76 W 32 W. dist. 8  
a W. Oak 20 " " " East 18 " "  
Land. Timber &c. same as on last line.

West on S. Side of sec. 32 T. 27 N. R. 10 E.

3.45 an Elm 30 in. dia.

40.00 Set gr. sec. post from which  
a Maple 20 in. dia. bears N 78 W 12 W. dist. 8  
a W. Oak 8 " " " N 59 E 7 " "

75.75 a Beech 12 " "

80.00 Set post cor. to Secs. 31 & 32 from which  
a Beech 14 in. dia. bears S 88 W 32 W. dist. 8  
a Do 30 " " " N 45 E 20 " "



# T. 26 N. - R. 10 E. 2<sup>nd</sup> Mer. Indiana

Land & Timber same as on the last line.

West on S. Side of sec. 31 T. 27 N. R. 10 E.

4.30 at Beech 10 in. dia.

33.50 at Brook 12 in. wide corner N. N.

40.00 Set g. sec. post from which

an Elmwood 5 in. dia. bears N 72 W 6 1/2 W. dist. 8

a Do 7 " " " N 64 E 19 " "

79.60 To post Co. to T. 26 + 27 N. R. 9 + 10 E.

Rich land. Timber Beech. Oak. Ash &c.

March 31<sup>st</sup> 1828.

## West Boundary

Var —

North on E. Side of sec. 36 T. 26 N. R. 9 E.

40.00 Set g. sec. post from which

a Beech 12 in. dia. bears N 9 E 11 W. dist. 8

an Elmwood 10 " " " N 41 W 7 " "

80.00 Set post Co. to Sec. 25 & 26 from which

a Beech 24 in. dia. bears N 37 W 25 W. dist. 8

a Do 18 " " " N 37 W 30 " "

Land rich. Timber Beech. Sugar &c.

North on E. Side of sec. 25 T. 26 N. R. 9 E.

32.00 at Branch 15 in. wide corner N. E.

40.00 Set g. sec. post from which

a Beech 18 in. dia. bears N 73 W 19 W. dist. 8

a Do 12 " " " N 89 E 21 " "

80.00 Set post Co. to Sec. 24 + 25 from which

a Beech 36 in. dia. bears N 58 W 26 W. dist. 8

a Do 34 " " " N 14 E 21 " "

Land & Timber same as on the last line.

North on E. Side of sec. 24 T. 26 N. R. 9 E.

40.00 Set g. sec. post from which

a Beech 12 in. dia. bears N 2 E 18 W. dist. 8



37

T. 26. N. - 7 E. 10 E. 2<sup>nd</sup> Mer. Indiana.

a Beech 12 in. dia. bears S 78 E 19 W. dist.  
75.00 To Salamander River.  
80.00 Set post Cr. to sec. 13 & 24 from which  
a Lycamore 36 in. dia. bears N 11 W 30 W. dist. X  
a Buckeye 12 " " " S 68 E 35 " "  
Sand & Timber same as on the last line.

---

North on E. Side of Sec. 13 T. 26. N. R. 9 E.  
40.00 Set g. sec. post from which  
a Hickory 12 in. dia. bears N 76 E 35 W. dist. X  
a Beech 12 " " " N 87 W 17 " "  
46.00 a Creek 35 W. wide corner N. W.  
80.00 Set post Cr. to sec. 12 & 13 from which  
a Beech 12 in. dia. bears N 53 W 4 W. dist. X  
a Do 24 " " " N 57 E 24 " "  
Sand 1<sup>st</sup> rate. Beech, Sugar, Ash, Spruce &c.

---

North on E. Side of sec. 12 T. 26. N. R. 9 E -  
40.00 Set g. sec. post from which  
a Beech 18 in. dia. bears N 65 E 21 W. dist. X  
a Do 8 " " " N 29 W 16 " "  
80.00 Set post Cr. to sec. 1 & 12 from which  
a Beech 24 in. dia. bears N 9 W 13 W. dist. X  
a Do 24 " " " S 3 W 50 " "  
Sand & Timber same as on the last line.

---

North on E. Side of sec. 1 T. 26. N. R. 9 E -  
40.00 Set g. sec. post from which  
an Ironwood 8 in. dia. bears N 81 E 14 W. dist. X  
an Ash 24 " " " S 61 E 6 " "  
80.00 Set post Cr. to Township 26 & 27 North,  
Range 9 & 10 East from which  
a Beech 12 in. dia. bears S 43 E 19 W. dist. X  
a Do 36 " " " West 25 " "  
Sand & Timber same as on the last line  
John M. Donald S. S.

T. 26 N. - R. 10 E. 2<sup>nd</sup> Mer. IndianaSubdivisionNorth Between Secs. 35 & 36

15.00 Enter a thick Willow Swamp.

20.17 a W. Oak 10 in. dia.

21.00 Leave the Swamp.

40.00 Set g. sec. post from which

a Hickory 12 in. dia. bears S 25 W 7 1/2 W. dist. 8

a Lycamore 12 " " " N 20 E 35 " "

56.75 a Stream 8 ft. wide cross Sec. N.W.

66.82 a Beech 16 in. dia.

80.00 Set Post cor. to Secs. 25, 26, 35 &amp; 36 fr. which

a Beech 18 in. dia. bears N 35 E 26 1/2 W. dist. 8

a Sugar 12 " " " S 68 W 13 " "

Land level 1<sup>st</sup> 1/2 mile east & swampy.Last 1/2 mile 2<sup>nd</sup> rate. Timber Beech, Sugar,

Ash, Elm, Oak, Hickory &amp;c. Spec. P. Ash &amp;c.

East on Random between Secs. 35 & 36.

8.00 Enter wet prairie bordered with Willows

37.00 Leave do

40.00 Set temp. g. sec. post.

79.86 Intersect E. Bound. line 160 ft. N. of post.

Land level &amp; rich. Timber &amp;c. as before.

West Corner between Secs. 35 & 36.

23.00 a Beech 18 in. dia. 1

39.93 Set g. sec. post at average dist. from which

a W. Oak 6 in. dia. bears N 26 E 7 1/2 W. dist. 8

a W. Oak 8 " " " S 77 W 22 " "

79.86 To Sec. Corner.

North Between Secs. 35 & 36.

12.37 a Hickory 11 in. dia.

40.00 Set g. sec. post from which

a Beech 8 in. dia. bears N 74 E 5 W. dist. 8

39

T. 26 N. - R. 10 E. 2<sup>nd</sup> Mer. Indian

a Beech 8 in. dia. bears S 45 N 36 W. dist.  
 63.87 a Do 20 " "  
 80.00 Set post cor. to Secs. 23, 24, 25 & 26 from which  
 a Lym 12 in. dia. bears S 55 N 19 W. dist. &  
 a Beech 12 " " " N 57 E 21 " "  
 Land level & rich. Timber Beech. Sugar. Lym  
 Ash. Hickory &. Spice &.

---

East on Random between Secs. 24 & 25.  
 40.00 Set temp. g. sec. post.  
 79.74 Intersect E Bound. line 54 W. N. of post.  
 Land level 2<sup>nd</sup> aato. part wt. Timber Beech,  
 Ash, Elm, Hickory, Maple, Cottonwood &  
 ung<sup>th</sup> Spice. P. Ash &.

---

West corner between Secs. 24 & 25.  
 19.07 a Maple 12 in. dia.  
 39.87 Set g. sec. post at average dist. from which  
 a P. Oak 10 in. dia. bears S 28 N 3 W. dist. &  
 a W. ash 18 " " " N 73 E 11 " "  
 60.71 a Maple 18 " "  
 79.74 To Sec. corner.

---

North Between Secs. 23 & 24.  
 14.79 a Hickory 12 in. dia.  
 40.00 Set g. sec. post from which  
 a Beech 13 in. dia. bears N 77 N 25 W. dist. &  
 a Lym 10 " " " S 77 E 17 " "  
 64.50 a Hickory 18 " "  
 80.00 Set post cor. to Secs. 13, 14, 23 & 24 fr. which  
 a W. Oak 26 in. dia. bears S 56 E 48 W. dist. &  
 a P. Oak 22 " " " N 74 N 10 " "  
 Land level & rich. Timber Beech, Oak, Ash,  
 Elm, Hickory, Lym & ung<sup>th</sup> Spice &.

---

East on Random between Secs. 13 & 24.



# T. D. N. R. 10 E. 2<sup>nd</sup> Mer. Indiana

40.00 Set temp. q. sec. post.  
 79.72 Intersect E Bound. line 14 th. N. of post.  
 Land level 2<sup>nd</sup> date. part wet. Timber Beech,  
 Sugar, Sycam. Maple, Hickory, Oak &  
 Ling. & Spice. P. Ash &c.

West corner between Secs. 13 & 14.  
 18.42 a Black — 30 in. dia.  
 39.86 Set q. sec. post at average dist. from which  
 a W. Elm 12 in. dia. bears N 67 E 19 th. dist. &  
 a R. Oak 11 " " " N 61 W 34 " "  
 63.32 a B. Oak 20 " "  
 79.72 To Sec. corner. July 22<sup>nd</sup> 1823.

North Between Secs. 13 & 14.  
 16.86 a B. Oak 12 in. dia.  
 40.00 Set q. sec. post from which  
 a Beech 20 in. dia. bears N 77 W 13 th. dist. &  
 a W. Oak 18 " " " South 9 " "  
 43.00 a stream 25 th. wide Course S. W. or S. E.  
 62.00 a W. Oak 18 in. dia.  
 80.00 Set post on to Secs. 11. 12. 13 & 14 from which  
 a Beech 12 in. dia. bears S 84 E 10 th. dist. &  
 a Do 10 " " " N 56 W 36 " "  
 Land level & rich. Timber Beech. Sugar,  
 Sycam. Ash. Elm. Oak. Hickory & Spice &c

East on Random between Secs. 12 & 13.  
 19.10 a stream 25 th. wide Course S. W. or S. E.  
 40.00 Set temp. q. sec. post.  
 79.76 Intersect E Bound. line 28 th. S. of post.  
 Land. Timber &c. same as on last line.

West corner between Secs. 12 & 13.  
 19.19 a Beech 14 in. dia.  
 39.88 Set q. sec. post at average dist. from which

41

S 26 N. - W. 10 E. 2<sup>nd</sup> Mer. Indiana.

a Beech 14 in. dia. bears S 44 W 16 W. dist. X  
 a Do 12 " " " N 48 E 35 " "  
 59.38 a Spruce 36 " "  
 79.76 To Sec. Corner.

---

North Between Secs. 11 & 12.

14.14 a W. Elm 12 in. dia.  
 40.00 Set g. sec. post from which  
 a Beech 11 in. dia. bears N 75 W 18 W. dist. X  
 a Do 14 " " " S 44 E 30 " "  
 45.50 a Stream 25 W. wide runs E. or W.  
 69.13 a Hickory 14 in. dia.  
 80.00 Set post cor. to Secs. 1, 2, 11 & 12 from which  
 a W. Ash 20 in. dia. bears S 15 W 22 W. dist.  
 a W. Elm 20 " " " N 76 E 42 " "  
 a Bur Oak 12 " " " N 72 W 40 " "  
 Land level 2<sup>nd</sup> rate. Timber Beech, Sugar,  
 Ash, Elm, Hickory &c. Ung<sup>th</sup> Spice &c.

---

East on Random between Secs. 1 & 12.

40.00 Set temp. g. sec. post.  
 79.26 Intersect E. Bound. line 68 W. S. of post.  
 Land level 2<sup>nd</sup> rate. Timber Beech, Ash, Elm,  
 Hickory, Spruce &c. Ung<sup>th</sup> Spice, P. Ash &c.

---

West corner between Secs. 1 & 12.

22.50 a B. Ash 7 in. dia.  
 39.63 Set g. sec. post at average dist. fr. which  
 a Spruce 12 in. dia. bears N 34 E 25 W. dist. X  
 a Hornbeam 5 " " " S 59 W 14 " "  
 60.78 a Hickory 12 " "  
 79.26 To Sec. Corner.

---

North Between Secs. 1 & 2.

13.92 a Beech 12 in. dia.  
 40.00 Set g. sec. post from which



# T. 26 N. - R. 10 E. 2<sup>nd</sup> Mer. Indiana

a Beech 18 in. dia. bears S 44 N 25 W. dist. 8  
 a N. Ash 14 " " " N 4 E 38 " "  
 63.75 a Do 14 " "  
 82.66 Intersect N. Bound line 10 W. E. of post  
 when set post cor. to sec. 14 & 2 from which  
 a Beech 12 in. dia. bears S 62 N 54 W. dist. 8  
 a Do 11 " " " N 71 E 8 " "  
 Land. cont. 2<sup>nd</sup> rate. Timber Beech. Sugar.  
 Ash. Elm. Oak. Hickory. Ang<sup>l</sup>. Spruce  
 July 23<sup>rd</sup> 1893

North between Sec. 34 & 35.

17.60 a Beech 10 in. dia.  
 40.00 Set gr. sec. post from which  
 a Poplar 7 in. dia. bears S 70 N 22 W. dist. 8  
 a Hickory 16 " " " N 73 E 32 " "  
 66.90 a Beech 10 " "  
 80.00 Set post cor. to sec. 26 & 35 from which  
 a Beech 8 in. dia. bears S 84 E 36 W. dist. 8  
 a Hickory 26 " " " N 63 W 7 " "  
 Land. cont. 2<sup>nd</sup> rate. Timber Beech. Ash.  
 Oak. Hickory. Elm. Ang<sup>l</sup>. Spruce. Ash.  
 Pawpaw. Sugar. Cornwood &c.

East on Random between Sec. 26 & 35.

40.00 Set temp. gr. sec. post.  
 80.60 Intersect N. S. line 16 W. E. of Post.  
 Land. Timber &c. same as on the last line.

West corner between Sec. 26 & 35.

31.03 a N. Maple 24 in. dia.  
 40.30 Set gr. sec. post at average dist. from which  
 a Beech 12 in. dia. bears N 28 W 12 W. dist. 8  
 a Do 10 " " " South 27 " "  
 63.07 a Do 12 " "  
 80.60 To sec. corner.

43

T. 26 N. - R. 10 E. 2<sup>nd</sup> M. Indiana.

North Between sec's 26 & 27.

29.16 a Beech 26 in. dia.

40.00 Set g. sec. post from which

a W. Elm 8 in. dia. bears N 51 E 25 W. dist. 8

a K. Elm 9 " " " S 43 W 16 " "

57.13 an Aspen 18 " "

80.00 Set post cor. to sec's 22, 23, 26 & 27 from which

a Spruce 12 in. dia. bears S 69 E 17 W. dist. 8

a W. Ash 10 " " " S 45 W 10 " "

Land level 2<sup>nd</sup> rate. Timber Beech, Ash, Oak,  
Elm, Spruce, Hickory &c. Spruce, P. Ash &c.

East on Random between sec's 23 & 26.

24.00 Enter a P. Ash Swamp.

38.00 Leave the do

40.00 Set temp. g. sec. post.

80.80 Intersect W. line 105 W. S. of post.

Land level & wet 3<sup>rd</sup> rate. Beech, Ash, Oak,  
Elm, Hickory &c. Spruce, Ironwood &c.

West correct between sec's 23 & 26.

22.27 a Beech 9 in. dia.

40.40 Set g. sec. post at average dist. from which

a W. Maple 12 in. dia. bears S 80 W 13 W. dist. 8

a Do 16 " " " S 39 E 11 " "

62.30 a Beech 14 " "

80.80 To Sec. corner.

North Between sec's 22 & 23 -

18.35 a Sugar 14 in. dia.

40.00 Set g. sec. post from which

a Sugar 22 in. dia. bears N 72 W 33 W. dist. 8

a Hickory 24 " " " S 72 E 4 " "

67.45 a W. Elm 12 " "

76.00 Enter a wet prairie

80.00 Set post in margin of do. Cor. to sec's 14, 15, 22 & 23.

# T. D. N. - N. 10 E. 2<sup>nd</sup>. Mu. Indiana

a Willow 18 in. dia. bears N 41 W 180 W. dist. 8  
 a W. Ash 4 " " " S 42 E 36 " "  
 Land level 2<sup>nd</sup> rate, Sinker Ash. Elm. Oak,  
 Maple. Hickory & ring<sup>th</sup>. Ironwood & Ash Jr.

East on Random between Secs. 14 & 23 -

9.00 Leave the Prairie  
 40.00 Set temp. g. sec. post.  
 80.96 Intersect. M. line 80 W. S. of post  
 Land. Sinker Jr. same as on last line.

West Corner between Secs. 14 & 23 -

19.91 a Poplar 40 in. dia.  
 40.48 Set g. sec. post at average dist. from which  
 a Beech 9 in. dia. bears N 13 W 7 W. 8 dist. 8  
 a Do 11 " " " S 35 E 5 " "  
 54.07 a W. Ash 20 " "  
 80.96 To Sec. Corner. July 22<sup>nd</sup> 1823 -

North Between Secs. 14 & 15.

18.50 Leave the Prairie, near the margin dry,  
 in the middle wet & boggy.

30.30 a Hickory 8 in. dia.

40.00 Set g. sec. post from which  
 a Beech 9 in. dia. bears N 78 E 12 W. dist. 8  
 a W. Elm 26 " " " S 82 W 12 " "

56.18 a Beech 12 " "

80.00 Set post on, to Secs. 10. 11. 14 & 15 from which  
 a Beech 18 in. dia. bears N 44 W 30 W. dist. 8  
 an Ironwood 5 " " " S 63 E 2 " "  
 Land level 2<sup>nd</sup> rate, Beech. Ash. Oak. Elm.  
 Hickory. Poplar. Sycamore Ironwood. & Rice Jr.

East on Random between Secs. 11 & 14.

40.00 Set temp. g. sec. post.  
 80.96 Intersect. M. line 86 W. S. of post.

45

T. H. St. - N. 10 E. 2<sup>nd</sup> Mer. Indiana.

Land. Timber &c. same as on the last line.

West corner between Secs. 11 & 14.

22.27 a W. Oak 26 in. dia.

40.48 Set gr. sec. post at average dist. from which  
a Beech 18 in. dia. bears N 54 W 18 W. dist. 8  
a B. Oak 36 " " " S 45 E 9 " "

61.49 a Beech 12 " "

80.96 To Sec. Corner.

North Between Secs. 10 & 11.

15.35 a B. Walnut 14 in. dia.

40.00 Set gr. sec. post from which  
a B. Oak 9 in. dia. bears N 13 W 53 W. dist. 8  
a W. Oak - " " " S 25 E 8 " "

65.25 Sycamore 15 " "

80.00 Set post cor. to Secs. 2, 3, 10 & 11 from which  
a Poplar 7 in. dia. bears S 32 E 42 W. dist. 8  
a Beech 16 " " " N 31 W 5 " "

Land 1<sup>st</sup> 1/2 mile low swampy. Last 1/2 low  
3<sup>rd</sup> rate. Timber Beech, Ash, Oak, Elm, Hickory  
&c. among<sup>st</sup> Spruce, Ash, P. Ash &c.

East on Random between Secs. 2 & 11.

24.50 Entw a Prairie wet & boggy.

31.00 Leave do

40.00 Set temp. gr. sec. post.

80.78 Put sec. post N. line 44 W. S. of post.

Land low swamp 3<sup>rd</sup> rate. Timber Beech, Ash,  
Elm &c. among<sup>st</sup> Spruce, Ironwood &c.

West corner between Secs. 2 & 11.

21.23 a Beech 10 in. dia.

40.39 Set gr. sec. post at average dist. from which  
a Beech 22 in. dia. bears S 22 E 35 W. dist. 8  
a W. Oak 60 " " " S 84 W 31 " "



T. D. N. - W. 10 E. 2<sup>nd</sup> Mer. Indiana

62.06 a Hickory 11 in. dia.  
80.78 To Sec. Corner.

North Between Secs. 2 & 3.

28.55 a Sugar 10 in. dia.

40.00 Set g. sec. post from which

a Poplar 8 in. dia. bears S 83 N 37 W. dist. 1/2

a Beech 16 " " " N 38 E 31 " "

51.92 a Hickory 26 " "

74.00 Enter a Swamp

83.06 Intersect N. Bound-line 16 W. N. of post.

where set post cor. to Secs. 2 & 3 from which

a B. Ash 8 in. dia. bears S 9 N 20 W. dist. 1/2

a Maple 10 (old bearing) N 42 E 16 " "

Land lent 2<sup>nd</sup> rate. Timber Beech, Ash, Oak,

Hickory, Elm, Maple, Cottonwood & Spruce,

Pine wood &c.

July 23<sup>rd</sup> 1828

North Between Secs. 33 & 34.

19.74 a Beech 30 in. dia.

40.00 Set g. sec. post from which

a Beech 9 in. dia. bears N 84 N 13 W. dist. 1/2

a Do 18 " " " East 13 " "

61.80 a Hickory 11 " "

80.00 Set post cor. to Secs. 27, 28, 33 & 34 fr. which

a Beech 8 in. dia. bears N 32 N 30 W. dist. 1/2

a Do 22 " " " S 80 E 12 " "

Land a little rolling 2<sup>nd</sup> rate. Beech, Ash,

Oak, Elm, Hickory, Some Sugar Spruce & Pine wood &c.

East on Random between Secs. 27 & 34.

40.00 Set temp. g. sec. post

81.16 Intersect W. line 200 W. S. of post.

Land lent 2<sup>nd</sup> rate. Timber &c. as before.

West corner between Secs. 27 & 34



47

T. T. N. R. 10 E. 2<sup>nd</sup> Mer. Indiana

25.16 a W. Ash 10 in. dia.  
 40.58 Set gr. sec. post at carriage dist. from which  
 a Beech 9 in. dia. bears N 87 W 20 W. dist. 8  
 a Cherry 16 " " " 15 E 13 " "  
 60.85 a W. Ash 26 " "  
 81.16 To Sec. Corner.

---

North Between Sects. 27 & 28.

18.53 a Beech 14 in. dia.  
 21.00 an Ancient Mound.  
 40.00 set gr. sec. post from which  
 a Beech 16 in. dia. bears N 37 W 26 W. dist. 8  
 a W. Ash — " " " 15 E 34 " "  
 55.75 a La 36 " "  
 80.00 Set post cor. to Sects. 21, 22, 27 & 28 from which  
 a Hornbeam 7 in. dia. bears N 56 W 32 W. dist. 8  
 a Beech 20 " " " 73 E 26 " "  
 Sand colling good 2<sup>nd</sup> cat. Beech, Ash, Sugar,  
 Poplar, Oak, Hickory, Spice, Prunus &c.

---

East at Randan between Sects. 22 & 27.

40.00 set temp. gr. sec. post.  
 80.83 Intersect N. line 200 W. S. of post —  
 Sand lent 2<sup>nd</sup> cat. Timber. as before.

---

West Corner between Sects. 22 & 27.

21.13 a Beech 9 in. dia.  
 40.41 Set gr. sec. post at carriage dist. from which  
 a Hickory 24 in. dia. bears N 5 E 34 W. dist. 8  
 a Beech 30 " " " 30 W 9 " "  
 61.96 a W. Ash 26 " "  
 80.83 To Sec. Corner

---

North Between Sects. 21 & 22

16.23 a Sugar 26 in. dia.  
 40.00 set gr. sec. post from which

T. 26 N. - R. 10 E. 2<sup>nd</sup> Ma. Indiana

an Ironwood 9 in. dia. bears N 63 E 20 W. dist. 7  
 a Do 6 " " " N 29 W 15 " "  
 54.71 a Beech 26 " "  
 80.00 Set post cor. to Sec. 15, 16, 21 & 22 from which  
 a Beech 16 in. dia. bears N 45 W 22 W. dist. 8  
 a Sugar 24 " " " N 31 E 9 " "  
 Sand lent & rich. Timber Beech. Ash. Oak &c.  
 Aug<sup>th</sup>. Spice. Paw Paw &c.

East at Randam between Sec. 15 & 22.  
 40.00 Set temp. gr. sec. post.  
 60.00 Enter a wet Prairie  
 80.74 Intersect N. line 180 W. S. of post.  
 Sand lent 2<sup>nd</sup> rate. Timber Beech. Ash. Elm  
 &c. Aug<sup>th</sup>. Spice. Ironwood &c.

West corner between Sec. 15 & 22.  
 21.62 a W. Elm 9 in. dia.  
 40.37 Set gr. sec. post at average dist. from which  
 a Beech 8 in. dia. bears N 80 W 35 W. dist. 8  
 a Do 24 " " " N 39 E 16 " "  
 60.73 a Do 16 " "  
 80.74 To Sec. corner. July 24<sup>th</sup> 1833.

North Between Sec. 15 & 16.  
 22.61 a Hickory 18 in. dia.  
 40.00 Set gr. sec. post from which  
 a Beech 6 in. dia. bears N 6 W 32 W. dist. 8  
 a Do 8 " " " South 26 " "  
 59.26 a Do 11 " "  
 80.00 Set post cor. to Sec. 9, 10, 15 & 16 from which  
 a W. Elm 22 in. dia. bears N 5 W 41 W. dist. 8  
 a Beech 24 " " " N 15 E 3 " "  
 Sand lent 2<sup>nd</sup> rate. Timber Beech. Ash. Oak  
 &c. Aug<sup>th</sup>. Spice. S. Ash &c.

49

O. 26 N. W. 10 E. 2<sup>nd</sup> Mer. Indiana

East on Random between Secs. 10 & 15.

40.00 Set temp. gr. sec. post.

80.94 Intersect N. S. line 167 W. S. of post.

Land lent 2<sup>nd</sup> rate. Timber Oak. Ash. Elm,  
Hickory, Sugar &c. ung<sup>d</sup>. Spruce, P. Ash &c.

---

West corner between Secs. 10 & 15.

24.04 a N. Ash 18 in. dia.

40.47 Set gr. sec. post at average dist. from which  
a Beech 12 in. dia. bears N 63 E 24 W. dist.  
an Ash 34 " " " S 35 W 12 " "

62.22 an Elm 20 " "

80.94 To Sec. corner.

---

North between Secs. 9 & 10.

24.08 a N. Oak 36 in. dia.

40.00 Set gr. sec. post from which  
a B. Oak 8 in. dia. bears S 87 W 19 W. dist.  
a Hickory 18 " " " S 41 E 18 " "

63.81 a N. Elm 10 " "

80.00 Set post on. to Secs. 3, 4, 9 & 10 p. which  
a Maple 36 in. dia. bears S 45 W 23 W. dist.  
a B. Oak 36 " " " North 1 " "  
Land low 3<sup>rd</sup> rate. Beech. Ash. Oak,  
Hickory, Elm &c. Spruce, P. Ash &c.

---

East on Random between Secs. 3 & 10.

40.00 Set temp. gr. sec. post.

80.46 Intersect N. S. line 145 W. S. of post

Land lent 2<sup>nd</sup> rate. Timber &c. as before.

---

West corner between Secs. 3 & 10.

24.45 a B. Oak 48 in. dia.

40.23 Set gr. sec. post at average dist. from which  
a Beech 12 in. dia. bears S 86 W 19 W. dist.  
a Do do " " S 39 E 11 " "

# T. D. N. & C. W. E. 2<sup>nd</sup> Mer. Indiana

63.72 a Beech 10 in. dia.

80.46 To Sec. Corner.

North Between Secs. 34 & 44.

15.77 a Oak 40 in. dia.

40.00 Set g. sec. post from which

a Beech 11 in. dia. bears N 15 E 9 W. dist. 8

a Do 16 " " " S 37 W 38 " "

55.90 a Do 11 " "

84.33 Intersect N. Ground line 37 W. N. of post.

where set post cor. to Sec. 34 & 44 from which

a W. Ash 14 in. dia. bears N 32 W 6 W. dist. 8

a Beech 12 " " " S 45 E 63 " "

Land lent 2<sup>nd</sup> rate. Beech. Ash. Oak. Hickory

Poplar. Elm & Spic. Paw Paw. P. ash &

July 25<sup>th</sup> 1823.

North Between Secs. 32 & 33.

21.27 a Beech 26 in. dia.

40.00 Set g. sec. post from which

a Buckeye 8 in. dia. bears N 73 W 14 W. dist. 8

a Do 9 " " " S 70 E 16 " "

41.50 Set post on S. bank of Salamander River

on Ironwood 9 in. dia. bears North 8 W. dist. 8

a Beech 24 " " " S 27 W 13 " "

46.35 On River & set post on N. bank from which

a Hornbeam 8 in. dia. bears S 82 E 9 W. dist. 8

a Blue Ash 9 " " " West 8 " "

58.75 a Beech 28 " "

80.00 Set post cor. to Secs. 28-29-32 & 33 fr. which

a Beech 14 in. dia. bears N 72 W 12 W. dist. 8

a W. Oak 38 " " " S 51 E 22 " "

Land rolling 2<sup>nd</sup> rate. Beech. Oak. Ash.

Sugar. Hackberry. Spic. Ironwood &

East no Random between Secs 28 & 33.



51

T. D. N. - N. 10 E. 2<sup>nd</sup> Mer. Indiana.

40.00 Set temp. g. sec. post.

80.36 Intersect N. line 108 W. S. of post.

Land lent 2<sup>nd</sup> rate. Beech. Ash. Oak. Ironwood &c

West correct between Secs. 28 & 33 -

20.98 a W. Ash 11 in. dia.

40.18 Set g. sec. post at average dist. from which  
a Beech 12 in. dia. bears 35 N 29 W. dist. 4  
a Do 14 " " " 129 E 29 " "

60.50 a Do 20 " "

80.36 To Sec. Corner.

North Between Secs. 28 & 29.

21.94 a Beech 16 in. dia.

40.00 Set g. sec. post from which  
a Hickory 11 in. dia. bears 33 N 38 W. dist. 4  
a Beech 12 " " " 122 E 12 " "

59.33 a W. Ash 11 " "

80.00 Set post Cn. to Secs. 20 21. 28 & 29 fr. which  
a Beech 20 in. dia. bears 135 N 52 W. dist. 4  
a Do 12 " " " 184 E 13 " "

Land rolling 2<sup>nd</sup> rate. Tender Beech. Oak. Ash,  
H. cug. Ironwood. Ash &c.

East on Random between Secs. 21 & 28.

40.00 set temp. g. sec. post.

80.26 Intersect N. line 120 W. S. of post.

Land lent 2<sup>nd</sup> rate. Beech. Ash. Oak. Hickory  
Sugar &c. Spice Ash. Ironwood. Hornbeam &c.

West correct between Secs. 21 & 28.

19.22 a Beech 14 in. dia.

40.13 a Do 26 " " fa g. sec. corner.

a R. Elm 8 " " bears 148 N 21 W. dist.

a Buckeye 14 " " " 150 E 33 " "

80.26 To Sec. Corner.



# T. B. N. W. 10 E. 2<sup>nd</sup> Mer. Indiana.

North Between Secs. 20 & 21.

14.51 a Beech 10 in. dia.

25.00 a Brook 6 ft. wide Course N.

40.00 set g. sec. post from which

a Beech 20 in. dia. bears S 60 E 34 ft. dist.

a Hickory 18 " " " N 48 W 44 " "

66.29 a N. Oak 11 " "

80.00 set post cor. to Secs. 16, 17, 20 & 21 fr. which

a N. Elm 18 in. dia. bears N 52 E 21 ft. dist.

a Beech 16 " " " S 53 W 34 " "

Land rich & a little rolling Beech. Sugar.  
Syrup. Ash. Elm. Hickory &c. Spruce &c.

East and Random between Secs. 16 & 21.

40.00 set temp. g. sec. post.

88.28 Intersect N. line 174 ft. S. of post.

Land level rich. Timber Beech. Sugar. Ash.  
Elm. Hickory, Syrup &c. long #. Spruce &c.

West Corner between Secs. 16 & 21.

19.98 a N. Ash 24 in. dia.

40.14 set g. sec. post at average dist. from which

a Beech 10 in. dia. bears S 40 E 20 ft. dist.

a Ironwood 5 " " " N 43 W 19 " "

64.23 a Beech 10 " "

80.28 To Sec. corner. July 26<sup>th</sup> 1823.

North Between Secs. 16 & 17.

21.84 a Beech 18 in. dia.

40.00 set g. sec. post from which

a Beech 11 in. dia. bears S 59 E 22 ft. dist.

a N. Ash 18 " " " N 10 W 14 " "

69.21 a Beech 12 " "

80.00 set post cor. to Secs. 8, 9, 16 & 17 from which

a Beech 14 in. dia. bears S 15 E 34 ft. dist.

a Do 18 " " " N 36 W 44 " "

T. 26 N. - R. 10 E. 9<sup>th</sup> Mer. Indiana 53

Land level & rich. Timber Beech. Sugar. Ash.  
Elm. Hickory. Gum &c. ung<sup>th</sup> Spruce &c.

East at Random between Secs. 9 & 16.

40.00 Set temp. g. sec. post.

80.04 Intersect N. line 190 W. 4. of post.

Land. Timber &c. Same as on last line.

West correct between Secs. 9 & 16.

19.84 a Beech 12 in. dia.

40.02 Set g. sec. post at average dist. from which  
on Ironwood 6 in. dia. bears N 47 W 11 W. dist. &

a Beech 7 " " " S 68 E 10 " "

63.04 a W. Oak 50 " "

80.04 To Sec. corner.

North Between Secs. 8 & 9.

15.40 a Beech 14 in. dia.

31.00 a Stream 10 W. wide Cross N.E. or S.W.

40.00 Set g. sec. post from which

a Red Oak 12 in. dia. bears N 10 E 13 W. dist. &

a Beech 14 " " " S 41 W 25 " "

63.55 a Sugar 12 " "

80.00 Set post cor. to Secs. 4, 5, 8 & 9 from which

a Beech 18 in. dia. bears South 13 W. dist. &

a Do 14 " " " N 16 E 50 " "

Land level & rich. Timber Beech. Sugar.  
Ash. Elm. Hickory &c. ung<sup>th</sup> Spruce &c.

East at Random between Secs. 4 & 9.

40.00 Set temp. g. sec. post.

80.44 Intersect N. line 210 W. S. of post

Land level 2<sup>nd</sup> rate. Timber Beech. Ash. Oak.  
Hickory. Elm &c. ung<sup>th</sup> Spruce &c.

West correct between Secs. 4 & 9.

T. 26 N. - R. 10 E. 2<sup>d</sup> Mer. Indiana.

18.94 a Beech 14 in. dia.  
 40.22 Set gr. sec. post at average dist. from which  
 a Beech 12 in. dia. bears S 11 W 17 th. dist. &  
 a Do 12 " " " N 2 W 50 " "  
 61.02 a Do 20 " "  
 80.44 To Sec. Corner.

North Between Secs. 4 & 5.

17.37 a Beech 20 in. dia.  
 40.00 Set gr. sec. post from which  
 a Beech 12 in. dia. bears S 6 W 16 th. dist. &  
 a W. Oak 18 " " " N 35 E 16 " "  
 64.63 a Sugar 13 " "  
 86.90 Intersect N. Bound. line at post.  
 Land lent 2<sup>d</sup> date. Beech. Sugar. ash. Elm.  
 Oak. Spruce &c. (eng<sup>th</sup> Spruce &c.  
 July 27<sup>th</sup> 1823.

North Between Secs. 31 & 32.

25.70 a Beech 26 in. dia.  
 40.00 Set gr. sec. post from which  
 an Ironwood 8 in. dia. bears N 53 E 32 th. dist. &  
 a Beech 10 " " " N 82 W 32 " "  
 65.50 a Brook 10 th. wide Course E.  
 67.73 a Hickory 11 in. dia.  
 81.00 Set post cor. to Secs. 29, 30, 31 & 32 p. which  
 a Cherry 4 in. dia. bears S 45 W 5 th. dist. &  
 a Buck 16 " " " N 36 E 27 " "  
 Land rolling 2<sup>d</sup> date. Beech. ash. Oak.  
 Hickory &c. Ironwood. Hornbeam. Dogwood &c. thick

East on Random between Secs. 29 & 32.

28.18 a Brook 10 th. wide Course N.  
 40.00 Set temp. gr. sec. post.  
 80.20 Intersect N. S. line at post  
 Land a little broken 2<sup>d</sup> date. Beech. Ash,

55

T. B. N. & C. 10 E. 2<sup>nd</sup> Mer. Indiana.

Oak. Sugar Elm. Ironwood. Dogwood Spruce &c.

West Corner at between Secs. 29 & 32.

- 8.70 a W. Oak 14 in. dia. on E. bank of the  
Salamanic River from which  
a W. Oak 14 in. dia. bears S 59 E 22 W. dist. 8  
a Do 14 " " " West 20 " "  
11.86 a Blue Ash 8 " " on W. bank of River -  
a Beech 8 " " bears S 21 E 9 W. dist. 4  
a Lyrum 20 " " " N 34 W 12 " "  
20.10 a Sm Oak 24 " "  
40.10 Set q. sec. post at arroyo div. from which  
a Beech 8 in. dia. bears S 63 W 35 W. dist. 4  
a Do 6 " " " N 10 E 13 " "  
61.89 a Do 12 " "  
80.50 To Sec. Corner.

West Between Secs. 30 & 31.

- 20.55 a Beech 18 in. dia.  
40.00 Set q. sec. post from which  
a W. Oak 8 in. dia. bears N 39 E 3 W. dist. 4  
a Beech 26 " " " S 8 W 22 " "  
56.90 a W. Elm 22 " "  
78.16 Intersect W. Bound. line 303 W. S. of post  
when set post on to Secs. 30 & 31 from which  
a Beech 15 in. dia. bears N 77 W 8 W. dist. 8  
a Do 12 " " " S 13 E 13 " "  
Land cont. 2<sup>nd</sup> 1/2 ats. Beech. Ash. Oak. Elm.  
Hickory &c. Ironwood. Dogwood Sugar. P. Ash &c.

North Between Secs. 29 & 30.

- 19.45 a Hickory 12 in. dia.  
40.00 Set q. sec. post from which  
a Plum 4 in. dia. bears S 35 E 6 W. dist. 4  
a W. Oak 10 " " " North 15 " "  
50.00 Cut W. bend of Salamanic River.



# T. D. N. - T. D. 10 E. 2<sup>nd</sup> Mer. Indiana.

- 72.60 a Hackberry 24 in. dia.  
 73.90 Set post on S. bank of River from which  
 a Hackberry 6 in. dia. bears N 80 E 7 1/2 W. dist. 4  
 a Red Haw 6 " " " N 63 W 16 " "  
 76.76 over River & set post on N. bank from which  
 a Red Haw 6 in. dia. bears S 59 E 7 1/2 W. dist. 8  
 a Buckeye 16 " " " N 39 W 13 " "  
 80.00 Set post on. to Sec. 19. 20. 29 & 30 from which  
 a Buckeye 7 in. dia. bears S 35 W 25 W. dist. 4  
 a Sugar 10 " " " N 40 E 38 " "  
 Sand rolling 1<sup>st</sup> & 2<sup>nd</sup> rate. Last 1/2 1<sup>st</sup> rate.  
 Beech, Ash, Elm, Sugar, Hackberry, Buckeye,  
 & Ironwood, Spice, S. Ash, Pawpaw &c.

- East on Random between Sec. 20 & 29.  
 33.42 a Brook 10 W. wide Course S.  
 40.00 Set temp. gr. sec. post.  
 80.08 Intersect N. line 7 1/2 W. S. of post.  
 Sand rolling good 2<sup>nd</sup> rate. Beech, Ash,  
 Oak, Hickory, Elm &c. Spice, Ash &c.

- West corner between Sec. 20 & 29.  
 19.54 a Hickory 10 in. dia.  
 40.04 Set gr. sec. post at average dist. p. which  
 a Beech 11 in. dia. bears S 58 W 19 W. dist. 8  
 a Do 20 " " " N 28 E 9 " "  
 62.25 a W. Elm 3 1/2 " "  
 80.08 To Sec. Corner.

- West Between Sec. 19 & 30.  
 3.44 Set post on E. bank of River from which  
 a Buckeye 11 in. dia. bears N 33 W 23 W. dist. 8  
 a Hackberry 12 " " " S 24 E 18 " "  
 6.89 over River & set post on W. bank from which  
 a Buckeye 10 in. dia. bears N 78 E 10 W. dist. 8  
 a Do 12 " " " West 15 " "

57

T. D. N. W. 10 E, 2<sup>nd</sup> Mer. Indiana.

- 19.00 at Brook 10 W. ends Course N.  
 26.46 a Beech 12 w. dia.  
 40.00 Set a sec. post from which  
 an Ironwood 8 w. dia. bears N 12 W 20 W. dist.  
 a Beech 20 " " " N 22 E 12 " "  
 62.75 a Do 24 " "  
 81.78 Intersect N. Bound. line 206 W. S. of post.  
 where set post Ca. to Secs. 19 & 20 from which  
 a Beech 16 w. dia. bears N 86 E 32 W. dist. &  
 a Sugar 10 " " " S 74 W 21 " "  
 Sand rolling, 1<sup>st</sup>  $\frac{1}{4}$  1<sup>st</sup> rate. Last  $\frac{3}{4}$  2<sup>nd</sup> rate.  
 Timber Spruce, Beech &c. Ironwood, Dogwood,  
 P. Ash &c. July 28<sup>th</sup> 1823.
- 

- North Between Secs. 19 & 20  
 10.50 at Brook 10 W. ends Course N.  
 26.97 a W. Elm 14 w. dia.  
 40.00 Set gr. sec. post from which  
 a Beech 10 w. dia. bears N 9 E 12 W. dist. &  
 a Do 26 " " " S 33 W 18 " "  
 48.15 at Brook 5 W. ends Course N.  
 80.00 Set post Ca. to Secs. 17, 18, 19 & 20 p. which  
 a Beech 12 w. dia. bears N 70 E 12 W. dist. &  
 a Do 11 " " " South 12 " "  
 Sand rolling, 1<sup>st</sup>  $\frac{1}{2}$  mile good 2<sup>nd</sup> rate. Last  
 $\frac{1}{2}$  Common 2<sup>nd</sup> rate. Beech, Ash, Oak,  
 Hickory &c. Ironwood, Dogwood &c.
- 

- East or Random between Secs. 17 & 20  
 40.00 Set temp. gr. sec. post  
 80.50 Intersect N. S. line at post.  
 Sand land 2<sup>nd</sup> rate. Beech, Ash, Oak, Hickory  
 Elm &c. Spruce, Ironwood &c.
- 

- West corner between Secs. 17 & 20.  
 19.31 a Beech 18 w. dia.

# *T. B. N. - N. P. O. 2<sup>nd</sup> Mer. Indiana.*

- 40.15 Set g. sec. post at average dist. from which  
 a Sugar 10 in. dia. bears West 24 W. dist. 8  
 a Beech 9 " " " N 42 E 30 " "  
 60.83 a Do 28 " "  
 80.30 To Sec. Corner.

## *West Between Secs. 18 & 19.*

- 13.96 a Beech 14 in. dia.  
 40.00 Set g. sec. post from which  
 a Buckeye 10 in. dia. bears East 8 W. dist. 8  
 a W. Ash 8 " " " West 35 " "  
 66.75 a Sugar 30 " "  
 78.33 Set post on E. bank of Salamaw River  
 a Buckeye 10 in. dia. bears N 56 W 5 W. dist. 8  
 a Blue Ash 12 " " " S 56 E 9 " "  
 80.12 Intersect N. Bound. line in the River 322  
 W. South of post from which intersection  
 a W. Oak 13 in. dia. bears S 65 W 100 W. dist.  
 Land rich & rolling. Timber Beech. Ash.  
 Elm. Sugar. Hackberry & Spruce. Pawpaw &c.

## *North Between Secs. 17 & 18.*

- 3.00 a Stream 6 W. wide Course S. W.  
 14.95 a Beech 12 in. dia.  
 20.50 a Stream 6 W. wide Course W.  
 40.00 Set g. sec. post from which  
 a Hickory 18 in. dia. bears S 59 W 13 W. dist. 8  
 a Beech 11 " " " S 75 E 13 " "  
 43.50 a Stream 6 W. wide Course W.  
 62.50 a Do Do  
 64.50 a Sugar 24 in. dia.  
 80.00 Set post cor. to Secs. 7, 8, 17 & 18 from which  
 a Beech 14 in. dia. bears N 80 E 40 W. dist. 8  
 a Sugar 12 " " " N 74 W 14 " "  
 Land rich & a little rolling. Beech. Ash. Elm.  
 Sugar. Hickory &c. Spruce. Ironwood &c.

59

T. D. N. H. 10 E. 2<sup>nd</sup> Mer. Indiana.

East with Random between Sects 8 & 17.  
 12.00 a Brook 5 W. wide Course S.  
 40.00 Set temp. gr. sec. post.  
 80.22 Intersect N. line 17 W. N. of post.  
 Sand level 2<sup>nd</sup> rate. Limbs Ash. Oak. Beech.  
 Sugar. Hickory &. Angl. Spice. Sycam &.

---

West Corriect between Sects 8 & 14  
 19.18 a Beech 9 w. dia.  
 40.11 Set gr. sec. post at average dist. from which  
 a Beech 8 w. dia. bears S 8 E 23 W. dist. &  
 a Do 20 " " " S 37 W 15 " "  
 62.90 a Do 10 " "  
 80.22 To Sec. Corner.

---

West Between Sects 7 & 18.  
 28.08 a W. Oak 26 w. dia.  
 39.40 a Stream 10 W. wide Course S.  
 40.00 Set gr. sec. post from which  
 a K. Elm 6 w. dia. bears N 79 E 14 W. dist. &  
 a Cherry 7 " " " S 70 W 8 " "  
 56.46 a W. Oak 28 " "  
 80.31 Intersect N. Bound. line 18 W. S. of post.  
 whence set post Cor. to Sects 7 & 18 from which  
 a Beech 12 w. dia. bears S 69 W 29 W. dist. &  
 a Do 12 " " " S 76 E 36 " "  
 Sand rolling 2<sup>nd</sup> rate. Beech. Ash. Oak.  
 Hickory. Elm &. Spice. Ironwood &.

---

North Between Sects 7 & 8.  
 21.26 a Sugar 14 w. dia.  
 40.00 Set gr. sec. post from which  
 a Beech 14 w. dia. bears S 16 E 17 W. dist. &  
 a W. Oak 4 " " " S 8 W 12 " "  
 45.00 a Stream 6 W. wide Course W.  
 62.53 a Beech 12 w. dia.



# T. B. N. W. C. E. 2<sup>nd</sup> Mer. Indiana.

80.00 Set post Cu. to Secs. 5, 6, 7 & 8 from which  
 a B. Oak 22 in. dia. bears S 28 E 34 W. dist. 8  
 a B. Oak 18 " " " N 48 W 20 " "  
 Sand lent 2<sup>nd</sup> rate. Beech. Ash. Elm. Oak.  
 Sugar. Hickory &c. Spruce. Ironwood &c.

East on Random between Secs. 5 & 8.

40.00 Set temp. gr. sec. post.

79.66 Intersect W. line S 3 W. E. of post.

Sand lent 2<sup>nd</sup> rate. Beech. Ash. Oak. Hickory.  
 Elm &c. Ring<sup>th</sup>. Spruce &c.

West Correct between Secs. 5 & 8.

24.21 on Ironwood 8 in. dia.

39.83 Set gr. sec. post at average dist. from which  
 a Beech 10 in. dia. bears N 52 W 9 W. dist. 8  
 a Hickory 11 " " " S 87 E 40 " "

63.85 a W. Oak 48 " "

79.66 To Sec. Corner.

West Between Secs. 6 & 7

25.38 a Beech 12 in. dia.

40.00 Set gr. sec. post from which  
 a W. Oak 5 in. dia. bears S 7 E 24 W. dist. 8  
 a Beech 26 " " " N 69 E 27 " "

60.50 a W. Oak 14 " "

80.50 Intersect W. Bound. line N 96 W. E. of post.  
 where set post Cu. to Secs. 6 & 7 from which  
 on Ironwood 5 in. dia. bears N 51 E 31 W. dist. 8  
 a B. Oak 7 " " " S 30 W 23 " "  
 Sand lent 2<sup>nd</sup> rate. Beech. Sugar. Ash. Elm.  
 Oak. Hickory &c. Spruce. Ironwood &c.

North Between Secs. 5 & 6.

19.44 a Beech 24 in. dia.

40.00 Set gr. sec. post from which

61

T. D. N. - N. 10 E. 2<sup>nd</sup> Mer. Indiana.

a Beech 12 in. dia. bears N 66 W 33 W. dist. 10 ft.  
 an Oakwood 8 " " " S 68 E 9 " "  
 67.03 a W. Oak 30 " "  
 87.34 Intersect N. Bound. line 94 W. E. of post.  
 where set post C. to Sec. 5 & 6 from which  
 a Beech 14 in. dia. bears N 41 W 21 W. dist. 8 ft.  
 a Do 12 " " " S 3 E 35 " "  
 Land level 2<sup>nd</sup> act. Beech. Sugar. Oak. Elm.  
 Hickory. Oak &c. Spruce. Ash &c.  
 July 29<sup>th</sup> 1823.

Meanders of Salamander River  
 Beginning at post in South Boundary  
 on N. E. bank of Riv. thence down stream

Course Distance	Remarks
N 4 E 3.70	In Sec. 33
N 37 W 10.00	5.00 a stream 15 W. wide -
N 35 W 13.00	
N 20 E 9.50	
N 7 W 4.00	
N 47 1/2 W 14.50	To Post in line of Sec. 32 & 33 - at 8.00 a stream 15 W. wide.
N 64 W 9.00	In Sec. 32
N 45 W 4.00	
North 5.00	
N 4 E 10.00	8.50 a stream 15 W. wide.
N 7 1/2 W 12.00	To Post in line of Sec. 29 & 32.
N 36 W 6.00	In Sec. 29.
N 79 1/2 W 5.00	
N 75 W 11.50	
N 51 W 3.00	
N 35 W 5.00	
N 73 W 13.00	
N 38 W 7.50	

# T. B. N. T. 10 E. 2<sup>nd</sup> Mer. Indiana

N33W 11.00	3.50 a creek 10 M. wide
N15W 13.00	
N25W 8.00	
N57W 9.50	Mouth of Bayou
S82W 3.50	
N50W 4.00	
N34E 6.00	
East 4.00	
S70E 5.00	
N55E 5.00	Head of Bayou
N15E 7.00	a stream 10 M. wide.
N60W 6.00	
N73W 6.00	
N35W 2.59	To post in line of sect. 29 & 30.
N46W 4.73	To post in line of sect. 19 & 30.
N35W 9.00	In Sec. 19.
N20W 10.00	Oct. 27 <sup>th</sup> 1823 -
N66W 17.50	
N36W 5.00	3.50 a stream 5 M. wide.
N50W 10.00	
N39W 13.00	6.00 a stream 5 M. wide.
N19W 12.00	
N12E 9.00	River Bluffs -
N35W 10.00	
West 15.00	Leave do
N61W 7.50	
N37 $\frac{1}{2}$ W 4.64	To post in line of sect. 18 & 19
N30W 3.56	To post in West Boundary.

Meander of S.W. Bank: beginning at  
Post in West Boundary, thence

Course & Distance	Remarks
S37E 7.00	In Sec. 19.

63

J. B. N. R. 10 E. 2<sup>nd</sup> Mer. Indiana.

267 E	10.00	Lean high banks
278 E	8.50	
255 E	6.00	
24 E	15.00	
22 E	5.00	
230 E	9.00	
243 E	5.00	
247 E	7.00	
242 E	11.50	
256 E	8.00	
275 E	7.00	
240 E	4.00	
221 E	10.00	
242 E	5.22	To post in line of sec. 29 & 30.

237 E	5.00	In Sec. 30
261 E	4.39	To post in line of sec. 29 & 30.

253 E	12.00	In Sec. 29.
286 E	4.00	
26 E	2.50	
260 N	5.00	
286 N	6.00	
266 N	4.68	To post in line of sec. 29 & 30.

Nov. 12<sup>th</sup> 1823.

235 N	5.00	In Sec. 30 again.
23 E	3.00	To post in line of sec. 29 & 30
244 E	3.02	

252 E	5.00	In Sec. 29 again.
283 E	7.50	5.00 Rise high bluffs 10.00. Enter bottom
231 E	7.00	
212 E	10.00	
237 E	15.00	
255 E	16.00	
268 E	18.00	



# T. 26 N. - R. 10 E. 2<sup>nd</sup> Mer. Indiana

\$181 E	7.00	
\$163 E	4.00	
\$53 E	5.55	Topost in line of sec. 29 & 32.
\$14 E	5.00	On Sec. 32.
\$13 W	14.50	
\$2 W	9.00	at 100 Allen's Creek 75 W. side good for mills
\$52 E	13.50	
\$59 E	4.04	Topost in line of sec. 32 & 33 - at 2.00 point of an Island.
\$46 E	11.50	On Sec. 33.
\$9 W	5.00	
\$16 W	7.00	
\$22 E	9.50	
\$2 E	5.00	
\$55 E	9.00	
South	2.77	Topost in South Boundary

Surveyed in 1833 by  
Chas. L. Noble D.C.

I certify that the foregoing transcript  
of the field notes of Township 26 North,  
in Range 10 East of the 2<sup>nd</sup> Meridian  
in Indiana, has been compared with  
the original in this office, and found to  
be correct.

Surveyor General's Office  
Cincinnati June 27<sup>th</sup> 1843

William Johnston  
Jr. Secy.